

>>>> GREAT SLAVE HELICOPTERS <<<<  
 MAINTENANCE TRACKING REPORT  
 REPORT DATE: 05/19/09

AIRCRAFT TAIL NO.: C-GRTN  
 AIRCRAFT SERIAL NO.: 1058  
 AIRCRAFT MODEL NO.: EC120B

T/T ON AIRCRAFT: 3449.0  
 TOTAL CYCLES: 3461.2  
 TOTAL TAKE-OFFS: 9333.0

Page 1

ITEM NO.	ATA CODE	COMPONENT NAME	PART NUMBER	SERIAL NO.	SERVICE LIFE	COMPONENT TIME/CYC SINCE OH	COMPONENT TSOH/CYC AT INSTL	INSTALLED AIRFRAME HOURS/CYC	TIME/CYC SINCE INSTL.	REMOVE AT AIRFRAME TIME/CYC	TOTAL TIME /CYCLES REMAINING
25	.	AD F 2003-325 R1	COUPLING TUBE	INSPECTION	25 IN	6.6	0.0	3442.4	16.5	3467.4	18.4
100	.	100 HOUR INSP	ARCTIC SUNWEST	LEASED A/C	100 IN	6.6	0.0	3442.4	113.8	3542.4	93.4
101	.	WO RTN 09-02	C-GRTN		100 IN	6.6	0.0	3442.4	113.8	3542.4	93.4
107	.	STARTER GEN BRUSH			100 IN	6.6	0.0	3442.4	39.9	3542.4	93.4
108	.	ENGINE OIL FILTER	9550166270		100 IN	36.5	0.0	3412.5	36.5	3512.5	63.5
120	.	ALERT TELEX 05A00	REAR T/R D/S	DAMPER INS	110 IN	6.6	0.0	3442.4	113.8	3552.4	103.4
201	.	MANIFOLD, PRIMARY	AD 1999-233 (A)	BAD PWR CHK	400 RT	366.6	0.0	3082.4	366.6	3482.4	33.4
202	.	MANIFOLD, L/H	AD 1999-233 (A)	BAD PWR CHK	400 RT	366.6	0.0	3082.4	366.6	3482.4	33.4
203	.	MANIFOLD, R/H	AD 1999-233 (A)	BAD PWR CHK	400 RT	366.6	0.0	3082.4	366.6	3482.4	33.4
500	.	500 HOUR INSP	C-GRTN		500 IN	113.8	0.0	3335.2	113.8	3835.2	386.2
507	.	MGB XMSN FUEL FIL			500 IN	11.0	0.0	3438.0	36.5	3938.0	489.0
512	.	TD 28 C004	CLEAN IN-LINE	FUEL STRAINER	500 IN	113.8	0.0	3335.2	113.8	3835.2	386.2
525	.	ECL HEATER SYSTEM	100/500 HR INSP		500 IN	113.8	0.0	3335.2	113.8	3835.2	386.2
552	.	BATTERY CAPACITY	151CH1	N02150	600 OH	113.8	0.0	3335.2	113.8	3935.2	486.2
700	.	ARRIUS 2F P3 BOSS	SB.A319724003R2	34073	1000 IN	366.6	0.0	3082.4	366.6	4082.4	633.4
703	.CY	BRZ/EST HOOK:104	CALCULATE ACTUA	HOOK CYCLES	1500 OC	1506.8	0.0	1942.2	1506.8	N/A	N/A
800	.	1500 HOUR INSP	C-GRTN		1500 IN	113.8	0.0	3335.2	113.8	4835.2	1386.2
1005	.	L/L DAMPER	7050A-3622-044	0289	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1006	.	L/L DAMPER	7050A-3622-044	0297	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1007	.	L/L DAMPER	7050A-3622-044	0303	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1100	.	M/R BLADE	C621A-1006-101	299	20000 RT	3449.0	3409.1	3409.1	39.9	20000.0	16551.0
1101	.	M/R BLADE	C621A-1006-101	265	20000 RT	3449.0	3409.1	3409.1	39.9	20000.0	16551.0
1102	.	M/R BLADE	C621A-1006-101	310	20000 RT	3449.0	3409.1	3409.1	39.9	20000.0	16551.0
1103	.	PITCH HORN	C622A-2002-103	DA02	5000 RT	3449.0	0.0	0.0	3449.0	5000.0	1551.0
1104	.	PITCH HORN	C622A-2002-103	DA14	5000 RT	3449.0	0.0	0.0	3449.0	5000.0	1551.0
1105	.	PITCH HORN	C622A-2002-103	DA34	5000 RT	3449.0	0.0	0.0	3449.0	5000.0	1551.0
1106	.	SPHERICAL BRG.	579-108-00	1485	7500 RT	956.9	0.0	2492.1	956.9	9992.1	6543.1
1107	.	SPHERICAL BRG.	759-108-00	1490	7500 RT	956.9	0.0	2492.1	956.9	9992.1	6543.1
1108	.	SPHERICAL BRG.	759-108-00	1506	7500 RT	956.9	0.0	2492.1	956.9	9992.1	6543.1
1109	.	SCISSORS DRIVER	C622A1003101	DA 60	5500 RT	3449.0	0.0	0.0	3449.0	5500.0	2051.0
1110	.	LOWER FLANGE	C622A-2004-103	M087	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1111	.	LOWER FLANGE	C622A-2004-103	M088	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1112	.	LOWER FLANGE	C622A-2004-103	M105	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1113	.	UPPER FLANGE	C622A-2003-103	M029	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1114	.	UPPER FLANGE	C622A-2003-103	M058	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1115	.	UPPER FLANGE	C622A-2003-103	M066	3600 RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1116	.	SPHERICAL BRG BOL	7050A-3622-037	796	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0
1117	.	SPHERICAL BRG BOL	7050A-3622-037	804	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0
1118	.	SPHERICAL BRG BOL	7050A-3622-037	806	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0
1119	.	SPHERICAL BRG BOL	7050A-3622-037	808	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0
1120	.	SPHERICAL BRG BOL	7050A-3622-037	817	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0

AIRCRAFT TAIL NO.: C-GRTN  
 AIRCRAFT SERIAL NO.: 1058  
 AIRCRAFT MODEL NO.: EC120B

T/T ON AIRCRAFT: 3449.0  
 TOTAL CYCLES: 3461.2  
 TOTAL TAKE-OFFS: 9333.0

Page 2  
 05/19/09

ITEM NO.	ATA CODE	COMPONENT NAME	PART NUMBER	SERIAL NO.	SERVICE LIFE	COMPONENT TIME/CYC	COMPONENT TSOH/CYC	COMPONENT INSTL. HOURS/CYC	INSTALLED TIME/CYC SINCE INSTL.	REMOVE AT AIRFRAME TIME/CYC	TOTAL TIME /CYCLES REMAINING
1121	.	SPHERICAL BRG BOL	7050A-3622-037	847	9300 RT	3449.0	0.0	0.0	3449.0	9300.0	5851.0
1122	.	BLADE PIN	C622A-2006-601	M247	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1122	.	BLADE PIN	C622A-2006-601	M252	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1122	.	BLADE PIN	C622A-2006-601	M253	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1122	.	BLADE PIN	C622A-2006-601	M254	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1122	.	BLADE PIN	C622A-2006-601	M344	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1122	.	BLADE PIN	C622A-2006-601	M385	9800 RT	3449.0	0.0	0.0	3449.0	9800.0	6351.0
1123	.	M/R HUB	C622A-1002-103	M63	6400 RT	3449.0	0.0	0.0	3449.0	6400.0	2951.0
1124	.	THRUST SCREW	7050A-3622-038	354	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1125	.	THRUST SCREW	7050A-3622-038	355	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1126	.	THRUST SCREW	7050A-3622-038	356	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1127	.	THRUST SCREW	7050A-3622-038	357	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1128	.	THRUST SCREW	7050A-3622-038	358	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1129	.	THRUST SCREW	7050A-3622-038	359	13900 RT	3449.0	0.0	0.0	3449.0	13900.0	10451.0
1130	.	DAMPER END	7050A3622023	228	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1131	.	DAMPER END	7050A3622023	229	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1132	.	DAMPER END	7050A3622023	255	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1133	.	DAMPER END	7050A3622023	502	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1134	.	DAMPER END	7050A3622023	503	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1135	.	DAMPER END	7050A3622023	506	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1140	.	M/R SHAFT ASSY			0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1141	.	LOWER DAMPER FITT	C622A-1006-102	M211	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1142	.	LOWER DAMPER FITT	C622A-1006-102	M220	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1143	.	LOWER DAMPER FITT	C622A-1006-102	M235	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1144	.	UPPER DAMPER FITT	C622A-1007-102	M112	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1145	.	UPPER DAMPER FITT	C622A-2006-601	M113	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1146	.	UPPER DAMPER FITT	C622A-1006-102	M118	3500 RT	3449.0	0.0	0.0	3449.0	3500.0	51.0
1151	.	RH MGB FITTING AS		98070	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1152	.	LF MGB FITTING AS		98094	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1161	.	RH ANTI-TQ FITTIN		98062	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1162	.	LH ANTI-TQ FITTIN		98065	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1171	.	REAR MGB FITTNG A		98126	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1172	.	REAR MGB FITTNG A		98132	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1181	.	EQ SCISSORS		M 217	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1182	.	EQ SCISSORS		M 218	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1191	.	ANTI VIBRATOR		M275	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1192	.	ANTI VIBRATOR		M276	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1193	.	ANTI VIBRATOR		M278	0 OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1200	.	SWASHPLATE BRG.	7050A-3623-019	NR0672	3000 RT	595.3	0.0	2853.7	595.3	5853.7	2404.7
1302	.	HYDRAULIC FILTER	809281	COMPNY POLICY	500 RT	427.4	0.0	3021.6	427.4	3521.6	72.6
1304	.	M/R SERVO	7050A4673005	103	4000 OH	3449.0	0.0	0.0	3449.0	4000.0	551.0
1305	.	M/R SERVO	7050A4673005	126	4000 OH	3449.0	0.0	0.0	3449.0	4000.0	551.0
1306	.	M/R SERVO COL.	7050A4673006	219	4000 OH	3449.0	0.0	0.0	3449.0	4000.0	551.0
1307	.	MGB REAR BAR	7050A3633015	136	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1308	.	MGB REAR BAR	7050A3633015	142	20000 RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0

AIRCRAFT TAIL NO.: C-GRTN  
 AIRCRAFT SERIAL NO.: 1058  
 AIRCRAFT MODEL NO.: EC120B

T/T ON AIRCRAFT: 3449.0  
 TOTAL CYCLES: 3461.2  
 TOTAL TAKE-OFFS: 9333.0

Page 3  
 05/19/09

ITEM NO.	ATA CODE	COMPONENT NAME	PART NUMBER	SERIAL NO.	SERVICE LIFE	COMPONENT TIME/CYC	COMPONENT TSOH/CYC	COMPONENT INSTL. HOURS/CYC	INSTALLED TIME/CYC SINCE INSTL.	REMOVE AT AIRFRAME TIME/CYC	TOTAL TIME /CYCLES REMAINING	
1309	63.30.00	MGB FWD BAR	7050A3633016	128	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1310	.	MGB FWD BAR	7050A3633016	162	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1311	63.10.00	COUPLING TUBE	C631A1101101	MAP156	20000	RT	2451.4	0.0	997.6	2451.4	20997.6	17548.6
1312	63.10.00	COUPLING SHAFT	C631A1102601	SP041	89000	TO	9333.0	0.0	0.0	9333.0	89000.0	79667.0
1321	.	BLADE ANGLE ROD E		M317	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1322	.	BLADE ANGLE ROD E		M318	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1323	.	BLADE ANGLE ROD E		M316	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1331	.	SPLINED FLANGE		PPT-95	0	OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1400	.	REDUCTION GEAR	C632A0201052	M159	3750	OH	3449.0	0.0	0.0	3449.0	3750.0	301.0
1401	.	BI-BEVEL WHEEL	C632A2102605	M13	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1402	.	SUN GEAR	C632A2106601	M46	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1403	.	OUTPUT PINION	C632A2107602	M114	8900	RT	3449.0	0.0	0.0	3449.0	8900.0	5451.0
1404	.	OUTPUT WHEEL	C632A2108602	M72	9500	RT	3449.0	0.0	0.0	3449.0	9500.0	6051.0
1405	.	INPUT PINION	C632A2110602	M105	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1406	.	FREE WHEEL SHAFT	C632A2111601	M70	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1407	.	INPUT FLANGE	C632A2112601	M134	120000	TO	9333.0	0.0	0.0	9333.0	120000.0	110667.0
1408	.	OUTPUT HOUSING	C632A2114101	M88	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1409	.	LOWER HOUSING	C632A2115101	M82	39000	TO	9333.0	0.0	0.0	9333.0	39000.0	29667.0
1410	.	MAIN HOUSING	C632A2116102	M130	70000	TO	9333.0	0.0	0.0	9333.0	70000.0	60667.0
1411	.	OUTPUT FLANGE	C632A2158201	PPT018	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1425	.	OIL PUMP		127M	0	OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1430	.	EPICYCLIC	C632A0101052	M159	3750	OH	3449.0	0.0	0.0	3449.0	3750.0	301.0
1431	.	FIXED RIG, GEAR	C632A1102601	M102	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1432	.	PLANET GEAR	C632A1103101	M369	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1433	.	PLANET GEAR	C632A1103101	M380	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1434	.	PLANET GEAR	C632A1103101	M386	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1435	.	PLANET GEAR	C632A1103101	M359	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1436	.	M/R SHAFT	C632A1110102	M34	78000	TO	9333.0	0.0	0.0	9333.0	78000.0	68667.0
1437	.	TAPERED CASE/CONI	C632A1111101	M87	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1438	.	4 CONTACT BRG		NR0046	3600	RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1439	.	ROLLER BRG		9847738	3600	RT	3449.0	0.0	0.0	3449.0	3600.0	151.0
1500	.	TAIL ROTOR	C642 A0101052	M157	0	OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1505	.	T/R GEARBOX	C652A0101055	M1465	3750	OH	863.2	156.2	2742.0	707.0	6335.8	2886.8
1506	.	T/G/B CASING	C652A1108101	ML156	20000	RT	863.2	156.2	2742.0	707.0	22585.8	19136.8
1507	.	T/G/B PINION GEAR	C652A1103602	M128	20000	RT	863.2	156.2	2742.0	707.0	22585.8	19136.8
1508	.	BEVEL WHEEL	C652A1102601	M309	20000	RT	863.2	156.2	2742.0	707.0	22585.8	19136.8
1511	.	T/R SHAFT BRG.	7050A-3651-001	N.S.N.	3000	RT	595.3	0.0	2853.7	595.3	5853.7	2404.7
1511	.	FRONT SHAFT ASSY		PPT-98	0	OC	3449.0	0.0	0.0	3449.0	N/A	N/A
1512	.	REAR SHAFT ASSY		PPT-82	20000	RT	3449.0	0.0	0.0	3449.0	20000.0	16551.0
1530	.	TAIL ROTOR HUB	C642A-0100-103	M58	9500	RT	3449.0	0.0	0.0	3449.0	9500.0	6051.0
1531	.	TAIL ROTOR BLADE	C642A0300102	M433	8500	RT	3449.0	0.0	0.0	3449.0	8500.0	5051.0
1532	.	TAIL ROTOR BLADE		M436	8500	RT	3449.0	0.0	0.0	3449.0	8500.0	5051.0
1533	.	TAIL ROTOT BLADE		M519	8500	RT	3449.0	0.0	0.0	3449.0	8500.0	5051.0
1534	.	TAIL ROTOR BLADE		M605	8500	RT	3449.0	0.0	0.0	3449.0	8500.0	5051.0
1535	.	TAIL ROTOR BLADE		M641	8500	RT	3449.0	0.0	0.0	3449.0	8500.0	5051.0

AIRCRAFT TAIL NO.: C-GRTN  
 AIRCRAFT SERIAL NO.: 1058  
 AIRCRAFT MODEL NO.: EC120B

T/T ON AIRCRAFT: 3449.0  
 TOTAL CYCLES: 3461.2  
 TOTAL TAKE-OFFS: 9333.0

Page 4  
 05/19/09

ITEM NO.	ATA CODE	COMPONENT NAME	PART NUMBER	SERIAL NO.	SERVICE LIFE	COMPONENT TIME/CYC	COMPONENT TSOH/CYC	INSTALLED AIRFRAME HOURS/CYC	TIME/CYC SINCE INSTL.	REMOVE AIRFRAME TIME/CYC	AT AIRFRAME	TOTAL TIME /CYCLES REMAINING
1536	.	TAIL ROTOR BLADE		M644	8500 RT	3449.0	0.0	0.0	3449.0	8500.0		5051.0
1537	.	TAIL ROTOR BALDE		M658	8500 RT	3449.0	0.0	0.0	3449.0	8500.0		5051.0
1538	.	TAIL ROTOR BALDE		M659	8500 RT	3449.0	0.0	0.0	3449.0	8500.0		5051.0
1600	.	STARTER GENERATOR	160SG140Q1	1288XL	1200 OH	39.9	0.0	3409.1	39.9	4609.1		1160.1
1800	.	ENGINE ASSY	0319008000	34073	0 OC	3136.0	2769.4	3082.4	366.6	N/A		N/A
1801	.	REDUCTION GEAR	70EM018000	00278	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1820	.	GAS GENERATOR	70EM028000	00277	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1831	.	CENTRIFUCAL IMPEL	0319250330	1001UP	14000 CY	385.0	0.0	3076.2	385.0	17076.2		13615.0
1832	.	HP TURBINE DISC	2319250280	APF1577UP	8000 CY	3299.4	2914.4	3076.2	385.0	8161.8		4700.6
1833	.	NP POWER TURBINE DIS	2319411650	AZF1316UP	14000 CY	5132.1	4747.1	3076.2	385.0	12329.1		8867.9
1834	.	FRONT BRG	9609000622	797	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1835	.	REAR BRG	9609000648	1262	3500 OH	366.6	0.0	3082.4	366.6	6582.4		3133.4
1836	.	POWER TURBINE BRG	9609000454	941	3500 OH	366.6	0.0	3082.4	366.6	6582.4		3133.4
1837	.	HP TURBINE BLADE	2319250160	955N1	6000 OH	3136.0	2769.4	3082.4	366.6	6313.0		2864.0
1837	.	HP TURBINE BLADE	2319250160	955N1	10000 CY	3299.4	2914.4	3076.2	385.0	10161.8		6700.6
1838	.	POWER TURBINE BLA	2319450140	627N1	6000 OH	3136.0	2769.4	3082.4	366.6	6313.0		2864.0
1838	.	POWER TURBINE BLA	2319450140	627N1	10000 CY	3299.4	2914.4	3076.2	385.0	10161.8		6700.6
1851	.	D/G FRONT BRG	9609000451	2458	7000 OH	366.6	0.0	3082.4	366.6	10082.4		6633.4
1852	.	D/G REAR BRG	9609000451	99469	7000 OH	3136.0	2769.4	3082.4	366.6	7313.0		3864.0
1853	.	I/G FRONT BRG	9609000435	1041	7000 OH	3136.0	2769.4	3082.4	366.6	7313.0		3864.0
1854	.	I/G REAR BRG	9609000455	714	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1855	.	O/G FRONT BRG	9609000457	591	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1856	.	O/G REAR BRG	9609000435	426	7000 OH	3136.0	2769.4	3082.4	366.6	7313.0		3864.0
1857	.	BALL BRG	9609000456	57	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1858	.	PISTON BRG	9609000604	740	3000 OH	366.6	0.0	3082.4	366.6	6082.4		2633.4
1859	.	B/G FRONT BRG	9609000555	334	7000 OH	3136.0	2769.4	3082.4	366.6	7313.0		3864.0
1861	.	ADJUSTED VLV ASSY	0319958300	118B	0 OC	366.6	0.0	3082.4	366.6	N/A		N/A
1862	.	F C U	0319878010	399M	2800 OH	39.9	0.0	3409.1	39.9	6209.1		2760.1
1863	.	FCU FILTER		CMPNY POLICY	1500 RT	39.9	0.0	3409.1	39.9	4909.1		1460.1
1864	.	PREFERENCE INJECT	0319738350	359T	400 OH	366.6	0.0	3082.4	366.6	3482.4		33.4
1869	.	LEFT INJECTOR MAN	0319738340	620T	400 OH	366.6	0.0	3082.4	366.6	3482.4		33.4
1869	.	RIGHT INJECTOR MA	0319738330	1424T	400 OH	366.6	0.0	3082.4	366.6	3482.4		33.4
1870	.	HEATER SYSTEM INS	ICA-ECL-117		100 OC	497.9	0.0	2951.1	497.9	N/A		N/A
1870	.	HEATER SYSTEM INS	ICA-ECL-117		500 OC	595.3	0.0	2853.7	595.3	N/A		N/A
1900	NO.TE.	SB 67-020	OPTIONAL @ THIS TIME		0 OC	3449.0	0.0	0.0	3449.0	N/A		N/A

AIRCRAFT 'N' NO.: C-GRTN

REPORT DATE: 05/19/09

ITEM NO.	ATA CODE	COMPONENT NAME	PART NUMBER	SERIAL NO.	SERVICE LIFE	DATE INSTALLED	DATE TO BE REMOVED
2000	.	ANNUAL INSPECTION			12 MO	08/15/08	08/15/09
2001	.	24 MONTH INSP			24 MO	08/15/08	08/15/10
2002	.	72 MONTH INSP			72 MO	06/01/05	06/01/11
2006	N/.A .	BATTERY, DEEP CYCLE			12 MO	08/15/08	08/15/09
2007	.	NI-CAD BATTERY	151CH1	N02150	12 MO	08/15/08	08/15/09
2008	N/.A .	BATTERY TEMP SENSOR			24 MO	/ /	/ /
2009	.	FRONT RESTRAINT BLTS	2000115-213		94 MO	03/17/09	01/17/17
2009	.	REAR RESTRAINT BELTS	504458-404-2396		94 MO	03/17/09	01/17/17
2010	.	ELT	S1840501-01	2620994-0172	5 MO	03/25/09	08/25/09
2011	.	ELT BATTERY			24 MO	03/25/09	03/25/11
2012	.	COMPASS SWING	N/A		12 MO	02/14/09	02/14/10
2013	.	FIRST AID KIT	TYPE A		12 MO	02/14/09	02/14/10
2014	.	SURVIVAL GEAR	5X5	A166-0105	12 MO	02/14/09	02/14/10
2015	.	SURVIVAL RATIONS		A166-0105	59 MO	02/28/05	01/28/10
2016	N/.A .HR	ON/BRD CARGO HOOK			60 MO	/ /	/ /
2017	. .CY	BRZ/EST CARGO HOOK	AS21-8-C	104	60 MO	06/03/05	06/03/10
2018	.	LOAD CELL	ON CONDITION		0 MO	/ /	/ /
2019	.	FIRE EXTINGUISHER	A620	XV-86793	12 MO	02/14/09	02/14/10
2020	.	FIRE EXTINGUISHER	HYDROSTATIC TEST		88 MO	12/07/06	04/07/14
2020	.	FIRE EXTINGUISHER	RETIREMENT		120 MO	12/07/06	12/07/16
2021	.	PITOT STATIC			24 MO	03/17/09	03/17/11
2022	.	ALTIMETER	150206501	165449	24 MO	02/10/09	02/10/11
2023	.	TRANSPONDER	KT76A	123947	24 MO	02/10/09	02/10/11
2024	.	ALTITUDE ENCODER	8800-T	T2337	24 MO	02/10/09	02/10/11
2032	.	FUEL CONTROL	0319870020	234M	120 MO	08/16/07	08/16/17
2100	.	LAPTOP FOR RTN	SEND P/N & S/N		1000 MO	11/03/08	03/03/92